


alfapureo® PRO CUBE

Product manual



SK

CZ

EN

Gratulujeme vám k zakúpeniu vášho nového prístroja, čím ste sa rozhodli pre profesionálny a kvalitný spôsob aroma marketingu. Tento návod na obsluhu je súčasťou prístroja a podáva dôležité informácie slúžiace k riadneniu a bezpečnému používaniu. Návod na použitie musí byť v blízkosti prístroja a musí sa podľa neho riadiť každá osoba, ktorá je poverená jeho obsluhou.

Aroma difuzér pracuje na princípe atomizácie. Táto technológia premieňa kvapalný esenciálny olej na atómy plynu.

OBSAH

MANUÁL PRÍSTROJA

- 3** Technické parametre
- 3** Obsah balenia
- 4** Inštalácia
- 5** Intenzita, intervaly a spotreba
- 6** Upozornenia
- 6** Porucha a riešenia
- 7** Údržba a čistenie
- 7** Dôležité

SCENT MARKETING

- 8** Nastavenie aplikácie "Scent marketing" a spárovanie s prístrojom cez Bluetooth

TECHNICKÉ PARAMETRE

Model: **A 315M (SA250C -V5.0)**

Rozmery: **206x99x313 mm**


Váha: **3,5 kg**

Výkon: **5 W**

Napájanie: **DC12V 1A/2A**

Pokrytie: **300m² až do 1000m³**

Objem nádoby: **500 ml**



Skontrolujte a uistite sa, že je balenie kompletne pred prvym použitím.
V prípade problémov nás neváhajte kontaktovať na servis@alfapureo.sk
alebo cez www.alfapureo.sk.

OBSAH BALENIA



Nádoba



Kľúčik



Skrutky
a upínacia konzola



Napájací
kábel



PU hadička



Návod



Konektor



Tesnenie





PTFE páska

PTFE páska: 1. Obviažte atomizované jadro pri výmene za nové.
2. Obviažte prípadajúci skrutku do prístroja.




Predný panel



Tento prístroj vyhovuje základným požiadavkám a relevantným predpisom európskej smernice pre elektromagnetickú znášalivosť 2014/30/EÚ.


Kompletný originál Vyhlásenia o zhode je k dispozícii u dovozcu.

INŠTALÁCIA



1. Vložte klúčik.
2. Otočte klúčik o 10 stupňov v smere hodinových ručičiek pre odomknutie
3. Odskrutkujte a vytiahnite atomizačnú hlavu. Napišťte vôňu.
4. Vložte atomizačnú hlavu a nádržku.
5. Vytiahnite klúčik.

Na upevnenie montážnej konzoly použite skrutky



Zavesenie na stenu:

1. Zarovnajte konzolu a vyvŕtajte otvory na stene.
2. Vložte hmoždinky do dier v stene a nainštalujte konzolu na stenu so skrutkami
3. Priskrutkujte zadnú stranu prístroja
4. Upevnite prístroj na konzolu.

INTENZITA, INTERVALY A SPOTREBA

Koncentrácia			
Stupeň intenzity	Spotreba ml/h	Práca	Pauza
G1	0,13	15s	300s
G2	0,25	15s	150s
G3	0,38	20s	120s
G4	0,51	20s	85s
G5	0,64	25s	80s
G6	0,76	30s	75s
G7	0,89	30s	60s
G8	1,02	30s	50s
G9	1,15	30s	40s
G10	1,27	30s	33s
G11	1,4	33s	30s
G12	1,53	40s	30s
G13	1,65	50s	30s
G14	1,78	60s	30s
G15	1,91	75s	30s
G16	2,04	80s	25s
G17	2,16	85s	20s
G18	2,29	120s	20s
G19	2,42	150s	15s
G20	2,54	300s	15s

Poznámka:

1. Spotreba vychádza iba z továrenských skúšok.
2. Uvedené údaje spotreby sedia na oleji značky AlfaPureo v kombinácii prístroja CubePro. Odlišné typy môžu vykazovať odlišnú spotrebu.

UPOZORNENIA

-  Neupravujte, neopravujte a nerozoberajte prístroj svojvoľne. Ak dôjde k chybe, kontaktujte príslušné servisné oddelenie alebo vyplňte reklamačný protokol na www.alfapureo.sk
-  Neohýbajte ani nezatažujte silou napájací kábel, mohlo by dôjsť k prerušeniu spojenia.
-  Nepoužívajte zástrčku, ak je poškodená alebo ak sa nezhoduje s typom zásuvky. Něsmiete navlhčiť prístroj ani napájacie príslušenstvo. Nepoužívajte na pretaženej alebo prerušenej sietovej zásuvke.
-  Nedotykajte sa pri hrmení a blyskači drôtu ani produktu.
-  Nerozoberajte prístroj, keď pracuje.
-  Difuzér je zariadenie, ktoré si vyžaduje vašu starostlivosť. Odporúčame minimálne jeden krát do mesiaca skontrolovať vnútornú nádobu a uistíť sa, že nedochádza k vytiekaniu aroma oleja alebo k inej závade.

PORUCHY A ICH RIEŠENIA

Predtým, ako sa rozhodnete kontaktovať naše servisné oddelenie, prosím skúste diagnostikovať problém ako prvý nasledovaním týchto inštrukcií:

Porucha	Riešenie
Zariadenie nevypúšta vôňu	Skontrolujte nastavenie pracovných období v aplikácii, či nie je zariadenie v stave pauza alebo mimo zadaného obdobia. Skontrolujte, či nie je poškodená tryska (vymeňte za novú). Skontrolujte, či nie je upcháťá alebo vypadnutá hadička v nádobe na olej.
Slabý prúd vône	Skontrolujte, či nie je zanesená atomizačná tryska (vyčistite liehom). Skontrolujte tesnenie (vymeňte za nové). Skontrolujte, či nie je upcháťá alebo uvolnená hadička v nádobe na olej.
Olej je vylíaty	Skontrolujte, či nie je uvoľnená nádoba na olej. Skontrolujte tesnenie
Olej vyprskuje	Atomizačná tryska je zanesená, vypláchnite ju liehom. Prskanie oleja môže nastat aj pri prekročení maximálneho objemu oleja 500 ml
Velký hluk	Vzduchová tryska je uvoľnená, nasadte ju späť. Atomizačná tryska je poškodená, vymeňte ju za novú.

ÚDRŽBA A ČISTENIE

Prístroj potrebuje údržbu vo forme čistenia ak nastane jedna zo situácií:




1. Chcete zmeniť arómu a potrebujete dokonale odstrániť zvyšky predošej arómy.
2. Prúd vône vychádzajúci z atomizačnej hlavice slabne.

Postup:

1. Vylejte nádobu na olej, vylejte zvyšky aroma oleja.
2. Napľňte nádobu liehom aspoň na 15% a spusťte na 5 minút.
3. Vypnite z el. napájania, vylejte zbytky liehu, a dolejte si nový aroma olej

Dôležité!

1. Udržujte zariadenie vo zvislej polohe vždy, keď je v nádobe olej!
Naklonenie a preklopenie prístroja má za následok jeho vytečenie.
Môže tým poškodiť okolité povrchy!
2. Neprekračujte odporúčaný objem oleja! Maximálny objem oleja je 500 ml! Prekročenie hranice 500 ml môže mať za následok prskanie alebo vytekanie oleja z atomizačnej hlavice!






NASTAVENIE APLIKÁCIE "SCENT MARKETING" A SPÁROVANIE S PRÍSTROJOM CEZ BLUETOOTH




Prístroj je ovládaný cez Bluetooth prostredníctvom aplikácie **Scent Marketing** od spol. AlfaPureo. Pred vyhľadaním aplikácie sa uistite, že máte **zapnuté GPS**. Vyhľadajte slovné spojenie „scent marketing“ v Google Play alebo App Store a stiahnite si aplikáciu. **HESLO: 8888**



Aktualizovať zoznam zariadení
Sklknutím na názov pridáte zariadenie



Zadajte heslo k zariadeniu (8888)



Každú zmenu je nutné uložiť

Zmeniť názov zariadenia

Popis zariadenia (poloha miestnosti)

Pridať interval

Zapnúť / Vypnúť interval

Podrobnejšie informácie o aplikácii




Change the password



Change the password

Confirm



Každú zmenu je nutné uložiť

Nastavte čas, od kedy do kedy má prístroj pracovať

Vyberte dny, kedy má prístroj pracovať

Nastavte stupeň intenzity (G1 - G10)

Ak zabudnete heslo, stlačte prosím resetovacie tlačítko a heslo sa nastaví na 8888. Resetovacie tlačítko sa nachádza na Bluetooth module. Použite prosím spinku a zatlačte žiou do malého otvoru.

Congratulations to the purchase of your brand-new device, through which you decided for a professional and high quality aroma marketing. This user manual is part of the device and provides important information for proper and safe use. User manual must be close to the device and each person in charge of its operation has to follow it.

The aroma diffuser is based on atomization. This technology turns liquid essential oils into gas atoms.

CONTENT

DEVICE MANUAL

- 3** Technical Parameters
- 3** Content of the Package
- 4** Installation
- 5** Intensity, intervals and consumption
- 6** Precautions
- 6** Malfunction and solutions
- 7** Maintenance and cleaning

SCENT MARKETING

- 8** Set up of the application "Scent marketing" and pairing with the device via Bluetooth

TECHNICAL PARAMETERS

Model: **A 315M (SA250C -V5.0)**

Dimensions: **206x99x313 mm**


Weight: **3,5 kg**

Power: **5 W**

Power supply: **DC12V 1A/2A**

Coverage: **300m² až do 1000m³**

Container Volume: **500 ml**



Check and make sure that package is complete prior to the first use. Do not hesitate to contact us at servis@alfapureo.sk or www.alfapureo.sk.

CONTENT OF THE PACKAGE



Bottle



Keys



Screws
and clamping bracket



Power cable



PU tube



Instructions



Connector



Sealing





PTFE tape

PTFE tape: 1. Wrap the atomized core when replacing with a new one.
2. Fasten the connection screw to the device.




Front panel
Clamping bracket



This device meets the basic requirements and relevant regulations of European electromagnetic compatibility directive n. 2014/30/EU.


Complete original of Declaration of Conformity is available at the importer.

INSTALLATION



1. Insert the key.
2. Turn the key 10 degrees clockwise for unlocking.
3. Unscrew and pull out atomizing head. Fill the fragrance.
4. Insert the atomizing head and retainer.
5. Pull out the key.

Use screws to secure the mounting bracket.



Hanging on the wall:

1. Align the console and drill the holes.
2. Insert the dowels into the holes in the wall and install the bracket on the wall with screws.
3. Screw the back of the device.
4. Fasten the device to the bracket.

INTENSITY, INTERVALS AND CONSUMPTION

Degree of intensity	Consumption ml/h	Concentration	
		Work	Pause
G1	0,13	15s	300s
G2	0,25	15s	150s
G3	0,38	20s	120s
G4	0,51	20s	85s
G5	0,64	25s	80s
G6	0,76	30s	75s
G7	0,89	30s	60s
G8	1,02	30s	50s
G9	1,15	30s	40s
G10	1,27	30s	33s
G11	1,4	33s	30s
G12	1,53	40s	30s
G13	1,65	50s	30s
G14	1,78	60s	30s
G15	1,91	75s	30s
G16	2,04	80s	25s
G17	2,16	85s	20s
G18	2,29	120s	20s
G19	2,42	150s	15s
G20	2,54	300s	15s

Note:

1. The consumption is based only on factory tests.
2. Given consumption data are for oils AlfaPureo in combination with the device CubePro. Different types may show different consumption.

WARNINGS

-  Do not modify, repair and disassemble the device arbitrarily. If a defect occurs, contact the relevant service department or fill in the complaint form at www.walfapureo.com
-  Do not bend, nor apply force on the power cord, power supply could be interrupted.
-  Do not use the plug if it is damaged or does not match the socket type. Do not moisten the device, nor power supply accessory.
-  Do not use in an overloaded or interrupted network socket.
-  Do not touch the wire or product during thunders and lightning of wire.
-  Do not disassemble the device when being operated.

MALFUNCTIONS AND SOLUTIONS

Before you decide to contact our service department first try to diagnose the issue by following these instructions.

Malfunction	Solution
Device does not release the aroma	Check the setting of working periods is the application whether the device is not paused or outside of the selected period. Check if the nozzle is not damaged (replace with a new one). Check if the oil base has clogged or dropped out.
Weak aroma flew	Check if the atomizing nozzle is not clogged (clean with spirit). Check the gasket (replace with a new one). Check if the oil hose is clogged or loose.
Oil spoiled	Check if the oil container is not loose. Check the gasket.
Oil splatters	Atomizing nozzle is clogged, wash it with spirit. Oil splattering may happen when exceeding the maximum volume of oil (500 ml).
Too noisy	Air nozzle is loose, put it back. Atomizing nozzle is damaged, replace it with new one.

MAINTENANCE AND CLEANING

The device needs maintenance in the form of cleaning when one of the following situations occurs:




1. You want to change aroma and need to thoroughly remove residues of the previous aroma.
2. Aroma flow coming out of the atomizing nozzle is becoming weak.

Procedure:

1. Empty the oil container, remove the aroma oil residues.
2. Fill the container with spirit to at least 15% and turns on for 5 minutes.
3. Turn off the power supply, remove the spirit residues and fill in with new aroma oil.

Important!

1. Keep the device always in vertical position when the container contains oil. Tilting and overturning the device leads to oil leak. This may damage the surroundings!
2. Do not exceed the recommended oil volume! Maximum oil volume is 500 ml! Exceeding the 500 ml may lead to oil splattering or leaking from the atomizing nozzle.





SETTING OF APPLICATION OF "SCENT MARKETING" AND PAIRING WITH THE DEVICE THROUGH BLUETOOTH




The device is controlled through Bluetooth by means of the application **Scent Marketing** by company AlfaPureo. Make sure that **GPS is turned on** prior to searching for the application. Search "Scent Marketing" in Google Play or App Store and download the application. **PASSWORD: 8888**



Update the list of devices

Add the device by clicking on the name




Please enter the password!

Login

Remember Password

Insert the device password [8888]



Device control Save

Name: Basic black

Description:

Label:

X

+ Add interval

Turn on/off interval

Each change needs to be saved

Change the device name

Device description (position, room)



Detailed information

PCB-version: A501_V1.00

Equipment version: A501_V2.02

App version: 2.4

Change the password




Password change

← Change the password

Confirm password

The new password

Confirm



Working period setting Save

The start time

07 59 22 00

08 00 23 01

09 01 00 02

10 02 01 03

Each change needs to be saved

Set the time from when till when the device should work

Select days when the device should work

Set intensity level (0-30)

If you forget the password, press the reset button and password will be set to 8888. The reset button is located on the Bluetooth module. Use a pin and push it in the small hole.

alfapureo[®]